Procedural Volumetric Cloud Modeling, Animation, and Real-time Techniques

David S. Ebert
School of Electrical and Computer Engineering
Purdue University
ebertd@purdue.edu

Overview

Proceduralism
Background
Modeling Gases

Overview

Cloud Modeling
Examples Using Commercial Systems
Hardware Issues and Real-Time Gases
Conclusion
Future Directions for Research

Proceduralism: Advantages of Procedural Techniques

Flexibility
Parametric Control
Data Amplification
Procedural Abstraction - High Level Control
Complexity on Demand
- Inherently multi-resolution model
- Computational savings
- Ease of anti-aliasing

Background

Why Model Gases ?
Important Visual Characteristics
Rendering System Considerations

Why Model Gases ?

Visual Realism

Artistic Effects







Important Visual Characteristics

- *Amorphous*
- *Swirling*
- *Attenuation of Light*
- *Shadowing*
- *Illumination*

Example: Fog

Rendering System Considerations:

Issues	My System
Volume Rendering Support	*Scanline A-buffer w/ Volume Tracing*
Illumination Issues • Participating media - scatters, reflects, absorbs light • Low-albedo models (single scattering) • High-albedo models (multiple scattering)	*Low-albedo Illumination Model*
Volume Shadowing	*3D Table-based Shadowing* • Fast, efficient • 10 to 15 times faster than ray-traced shadows
Modeling Capability	*Procedural Volume Density Functions*

Modeling Gases: Previous Approaches

Surface Approaches

- Hollow/flat objects
- Interaction problems
- Fast

Volume Approaches

- Greater realism, flexibility
- Slower

Volumetric Modeling Advantages

Accurate Shadowing

Realistic Illumination

Realistic Simulation of Natural Volumetric Phenomena (Clouds, Gases, Water, Fire)

Volumetric Procedural Modeling (VPM)

Basic VPM Primitives

- Any function of three-dimensions
- Stochastic:
  - *Noise, turbulence, fBm*
- Regular: implicit functions
  - *Smooth blending*
  - *Useful primitives (spheres, cylinders, ellipsoids, skeletons)*

Volumetric Procedural Gas Modeling

Turbulence-based Procedures

- Perlin's noise and turbulence functions

Shape Resulting Gas

- Simple mathematical functions

Defines Volume Density

Basic Gas Procedure

*Density = (turbulence(pnt)*density_scaling)^{exponent}*

- Exponent typically 1.0 to 10.0

Gas Shaping Primitives

Power Function

Sine Function

Exponential Function



Steam Rising From a Teacup

Volume of Gas Over the Teacup

Basic Gas Procedure Used for Density

Steam Rising ...

Shape Gas Spherically

Shape Gas Vertically

Procedural Gas Animation

General Animation Approach

- Map screen space point to object space
- Move through gas space over time
- Evaluate density procedure
- Path direction produces opposite movement
- Path specified by
  - *Helical paths*
  - *Combination of primitive flow field functions*

Helical Paths

General Direction of Motion with Some Variation

Example of Downward Helical Path

- θ based on the frame number
- x = sin(θ) * radius1
- z = cos(θ) * radius2
- y = - (down_velocity * frame_number)

Helical Path Effects

Steam Rising

- Downward helical path

Fog Rolling In

- Horizontal helical path

Combination of Simple Flow Simulations

Wind Effects

Flow Into an Opening

Wind Effects - Gentle Breeze

Helical Path (for upward swirling)

Spherical Attractor:

- Strength increases over time
- Moves volume of steam

Flow Into An Opening

Motion Created by

- Angle limited spherical attractor
- Angle limited spherical repulsor
- Linear attractor

Also Works for Hypertextures



Volumetric Cloud Modeling: Volumetric Procedural Implicits

Previous Volumetric Procedural Implicit Modeling

- Perlin: hypertextures
- Stam: fire modeling, clouds
- Kisacikoglu: gas plasma - Sphere

Previous Cloud Modeling

- Surface-based (Gardner)
- Fractal-based (Voss)
- Volume-based (Kajiya, Stam)

Volumetric Procedural Implicit Modeling

Two Tiered Approach

- Cloud macrostructure
  - *Volumetrically rendered implicit primitives*
- Cloud microstructure
  - *Procedurally defined natural detail*
  - *Procedural volumetric density functions*

Cloud Macrostructure

Primitive-Based Implicit Models

- Currently: spheres, cylinders, ellipsoids
- Wyvill's blending function

Ease of Specification, Animation, Global Deformation

- Easily controlled by particle system dynamics

Example Implicit Cloud



Cloud Microstructure

Volumetric Procedural Model

Built-in Multiresolution Model

Features:

- Main primitives: noise and turbulence
- Mathematical functions for shaping
- Natural controls

Simple Volumetric Procedural Model (VPM)

vpm(pnt)

- pnt = map pnt to procedural turbulence space
- turb = turbulence (pnt)
- density = pow(denseness*turb, wispiness)
- return(density)

Combined Model

Use Procedural Techniques to Perturb Sample Point

Calculate Implicit Density for Point

Calculate Procedural Density for Point

Blend These Densities

- blend = blend% * imp_density + (1-blend%)*proc_density*imp_density

Shape With Math Functions



Stratus And Cirrus Cloud Effects

Stratus Clouds

- Use a few implicits to specify extent of layer
- Use procedural techniques for details
- Denser and less wispy

Cirrus Clouds

- Use implicits for each cloud or for global shape
- Thinner, less dense, wispier





Another Example (Henrik Wann Jensen)

Procedural Cloud Model Based on the Techniques Presented

- Generates a large number of points describing cloud density

Realistic Cloud and Environmental Illumination Using Photon Maps

Animation: Little Fluffy Clouds

- Cloud density is increased procedurally
- Sun rises, cloud layer forms, sun sets

Examples Using Commercial Systems: A/W Maya

Rendering:

- Volumetric cloud plug-in

Animation

- Cloud formation dynamics in MEL

Volumetric Cloud Plug-in (Marlin Rowley, Vlad Korolev, David Ebert)

Prototype Volume Rendering Plug-in

Attached to Volume Light Shape

Cloud Shape: 3 Spherical Primitives

4 Cloud Types:

- Misty
- Cumulus
- Cirrus
- Implicit

Volumetric Cloud Plug-in: Examples



Plug-in Available

- High End 3D web site rendering (rendering section)

- www.highend3d

- v3 for NT released 5/31/2001

Cloud Dynamics in MEL
(Ruchigartha)

Specialized Particle System

Dynamics Simulates

- Buoyant bubbles
- Temperature gradients - controls velocity
- Vortices
- Gravity
- Wind fields



Cloud Dynamics in MEL: Simulation

Particle Emitter

- Numerous settable attributes

Evaluate Forces on Particles

Create Children - Split Particles

Particle Death – Stabilize



Real-time Dense Gases: Issues

Volume Rendering vs. Approximations

Static vs. Dynamic Models

Semi-transparent Volume Accumulation

Illumination

Shadowing

Issues for Real-time Gases: Volume Approximations

Particle Systems – Only Practical for Thin Gases

- No inter-particle illumination, shadowing
- Often simple transparency model (or none) – depth sorted?
- Probabilistic shading and shadowing can be used

Imposters / Billboards – Good for Distant Clouds

- For close-ups and fly-throughs must integrate cloud slabs onto imposter
  - *Very time consuming – slows performance*
  - *Use pre-computed tables to improve performance*

Issues for Real-Time Gases: Volume Approximations (cont.)

Textured Ellipsoids – Good for Distant Clouds

- Problem 1: need to handle view dependent illumination and shadowing
- Problem 2: fly-throughs
  - *must integrate cloud onto plane that slices through ellipsoid*
    - Need to update each frame
  - *Very time consuming – slows performance*
  - *Use pre-computed tables to improve performance*

Issues for Real-time Gases: Volume Rendering (Overview)

Hardware Approaches to Real-Time Volume Rendering

- Mitsubishi VolumePro board (>$5000)
- 3D texture mapping hardware
  - *Nvidia GeForce3, ATI Radeon (< $400)*
  - *SGI Octane, Onyx, … (>$10,000)*
- Limited resolution based on board memory
  - *256^3 (64Mb)?*

Interactive Software Solutions

- Splatting – Comes closest but is still seconds / frame

Issues for Volumetric Gases: Static Modeling

3D Textures for Gas Density

- Limited by resolution of 3D texture: 256^3 (64Mb)
  - *Not a very detailed cloud, want 1000^3 at least*
  - *What about shadow volume, illumination volumes, etc. => even more memory*
- Precision of densities / opacities: Is 8 bits enough?

Global Density Model + Volume Detail Texture (Noise Texture)

- Need dependent texture reads



Issues for Real-time Volumetric Gases: Dynamic Models

Dynamically Change 3D Texture Densities

- Need ability to update portions of 3D textures at 30 fps

Change 3D Texture Indices Algorithmically

- How quick can you change the texture coordinates on the slices?

Use a Changing Smaller Texture to Dynamically Offset the 3D Texture Lookup

Could Generate Geometry on the Fly (Micropolygons)

- Need capability to generate new triangles at the vertex or fragment processing level
  - *E.g. from a vertex program on a Nvidia chip*
  - *Can use dummy geometry – but no textures in v.p.*

Issues for Real-time Volumetric Gases: Opacity Accumulation

Need Exponential Accumulation of Gas Densities:

$$e^{-t \int_{t1}^{t2} density(p)\, dp}$$

- Most systems use simple linear blend

Can Pre-integrate Accumulated Opacity Within a Slab and Store That in the Texture (e.g., Engel 2001)

- Opacities at front and back plus step size become texture coordinates
- Requires dependent texture read



Courtesy of Klaus Engel, Pre-Integrated Volume Renderer V1.7, 15 fps, 2001

Issues for Real-time Volumetric Gases: Illumination

How to Simulate Bi-directional Reflection Function for Low-albedo Illumination

- 2D texture maps indexed by eye angle and light angle?
  - *Needs dependent texture read*

How to Simulate Multiple (High-albedo) Scattering?

- Could use pre-integrated tables
  - *Need to change for each move in observer position or light position*

Approximation of Isotropic Particle Scattering

- Only dependent on light direction

Issues for Real-time Volumetric Gases: Shadowing

How to Compute Real-time Shadows?

- 2D real-time shadow mapping
  - *Only would works for shadowing onto objects, not self-shadowing*
  - *Problem with transparent objects*
- Could create 3D shadow table using texture sliced renderer from direction of eye point
  - *Cuts frame rate approximately 25-50% depending on accuracy desired*
- Projected imposters to form shadow texture (Dobashi 2000)

What's Now Available for PC Graphics?

3D Textures - (e.g., ATI, 3dfx, Nvidia, X-box)

Programmable Vertex Shading (e.g., GeForce2, GeForce3)

Dependent Texture Reads (e.g., ATI Radeon, GeForce3)

Programmable Pixel Shading (e.g., GeForce3)

What's Now Available for PC Graphics?

***Stanford Real-Time Programmable Shading Language** (Mark, Proudfoot, Hanrahan)*

- Great for real-time programmable shader development and volume shading design
- Re-targetable compiler to optimize passes through graphics pipeline
- Between OpenGL and Renderman



Hardware Issues With New Advances

How Much Flexibility in the New Programmability?

- Can you add, subtract, multiply, divide?
- Are conditionals allowed?
- How big is the temporary storage?
  - *Can you do noise tables?*
- Can you use 3D textures just like 2D textures in dependent reads?
- Any order of operations imposed by the hardware (implementation gotcha)?
- What operations are allowed in each part of the pipeline?

Hardware Issues With New Advances (cont.)

What Is the Range of the Values for Each Operation?

- 0 to 255, -255 to 255, fixed point, float

What Is the Precision?

- 8-bit, 9-bit, 12 bit, 16 bit?
  - *Affects complexity of operations that can be performed before quantization errors are visible*
- How does the precision vary at different stages of pipeline?
  - *E.g., Geforce 3 pixel shaders are floating point, but textures are 8-bit and combiners are 9-bit*

Conclusion

Procedural Modeling and Animation is :

Powerful

Flexible

Extensible

Conclusion

Important Aspects

- Flexible volume modeling system
- Accurate illumination and shadowing

Procedural Modeling

- Particle systems, L-systems, blobs can be included
- Flexible, turbulent volume modeling

Conclusion

Volumetric Procedural Implicit Cloud Modeling

- Ease of control and specification of implicits
- Smooth blending
- Natural appearance from turbulence simulation
- Procedural abstraction
- Parametric control

Conclusion

Real-time Gases Are On the Horizon

- Latest programmability and capabilities of PC hardware enables a vast array of techniques
- Procedural techniques are well suited for new hardware
  - *Eliminate the data transfer bottleneck*

Future Goal

- Download procedural cloud to GPU and generate geometry and render on the fly

Acknowledgements

Collaborators:

- RTSL: Bill Mark, Kekoa Proudfoot, Pat Hanrahan
- Klaus Engel, Rick Parent, Steve May
- Students: Marlin Rowley, Vlad Korolev, Ruchigartha

Funding: NSF, NASA, DoD, Electronic Arts